

Material Safety Data Sheet

Fullerene C60 PCBM-BIS

Revision Date: 2011-01-27

Date Issued: 2009-08-12

1 IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND THE COMPANY / UNDERTAKING

Product name	Fullerene C60 PCBM-BIS
Product code	CP-0029-HP
Supplier	IoLiTec Ionic Liquids Technologies GmbH Ferdinand-Porsche-Straße 5/1 D-79211 Denzlingen Germany
Telephone	+49 (0)7666 - 9129572
Fax	+49 (0)7666 - 9129345
Emergency telephone	+49 (0)179-5322578
Email	msds@iolitec.de

2 HAZARDS IDENTIFICATION

2.1 Classification of the substance or mixture

Classification (67/548/EEC or 1999/45/EC)

Irritating to eyes and respiratory system.

Classification (REGULATION (EC) No 1272/2008)

Serious eye damage/Eye irritation, Category 2, H319

Specific Target Organ Toxicity - Single exposure: Respiratory tract irritation, Category 3, H335

Material Safety Data Sheet

Fullerene C60 PCBM-BIS

Revision Date: 2011-01-27

Date Issued: 2009-08-12

2.2 Label elements

Labelling (67/548/EEC or 1999/45/EC)

Hazard description:

Label for supply



Xi Irritant

Risk phrases

R36/37: Irritating to eyes and respiratory system.

Safety phrases

S26: In case of contact with eyes, rinse immediately with plenty of water and seek medical advice.

S36: Wear suitable protective clothing.

Labelling (REGULATION (EC) No 1272/2008, GHS)

Hazard statements



Warning

H-phrases

H319: Causes serious eye irritation.

H335: May cause respiratory irritation.

Precautionary statements

P-phrases

P261: Avoid breathing dust/fume/gas/mist/vapours/spray .

P280: Wear protectic gloves/protective clothing/eye protection/face protection .

P305 + P351 + P338: IF IN EYES: Rinse cautiously with water for several minutes.

Remove contact lenses, if present and easy to do. Continue rinsing.

Material Safety Data Sheet

Fullerene C60 PCBM-BIS

Revision Date: 2011-01-27

Date Issued: 2009-08-12

3 COMPOSITION / INFORMATION ON INGREDIENTS

Ingredient name	1,2(2a)-Homo[5,6]fullerene-C60-1h-bis 2a-butanoic acid, 2a-phenyl-, methyl ester
Empirical Formula	C60(C12H14O2)2
CAS No.	-
Molecular weight	1101.1 amu

4 FIRST AID MEASURES

General	Contaminated clothing should be removed and washed before being reused.
Inhalation	Move the exposed person to fresh air at once. If breathing becomes difficult, call a physician.
Ingestion	Immediately rinse mouth and provide fresh air. Do not induce vomiting. Get medical attention immediately.
Skin	Wash the skin immediately with soap and copious amount of water.
Eyes	Promptly wash eyes with plenty of water while lifting the eye lids for. Continue to rinse for at least 15 minutes. Get medical attention immediately. Continue to rinse.

Material Safety Data Sheet

Fullerene C60 PCBM-BIS

Revision Date: 2011-01-27

Date Issued: 2009-08-12

5 FIRE FIGHTING MEASURES

Extinguishing media	Water, CO ₂ , dry chemical powder or appropriate foam.
Specific risks	Specific Hazard(s): Emits toxic fumes under fire conditions.
Protective measures in fire	Wear self-contained breathing apparatus as combustion may produce hazardous fumes.

6 ACCIDENTAL RELEASE MEASURES

Personal precautions during spill	Wear protective clothing and avoid inhalation of powder, fume and vapor as well as skin or eye contact.
Precautions to protect environment	Avoid washing into water courses. Avoid contaminating public drains or water supply.
Spill cleanup methods	Avoid contact with skin or inhalation of spillage, dust or vapor, Avoid dust formation. Collect and reclaim or dispose in sealed containers in license waste. Extinguish all ignition sources. Avoid sparks, flames, heat and smoking. Ventilate.

7 HANDLING AND STORAGE

Handling precautions	Do not breathe dust. Avoid contact with eyes, skin, and clothing. Avoid prolonged or repeated exposure.
-----------------------------	---------------------------------------------------------------------------------------------------------

Material Safety Data Sheet

Fullerene C60 PCBM-BIS

Revision Date: 2011-01-27

Date Issued: 2009-08-12

Storage precautions Keep tightly closed.

Special requirements Heat-, light-, and moisture-sensitive.

8 EXPOSURE CONTROLS AND PERSONAL PROTECTION

Protective equipment Safety goggles. Chemical resistant gloves.
Protective clothing.

Process control measures Provide eyewash station and safety shower.

Ventilation Provide adequate general and local exhaust ventilation. Mechanical exhaust required.

Respirators Dust mask type N95(US) or P1(EN143) if TLV is exceeded

Exposure Limits

TLV: 3.5 mg/m³ (ACGIH)

PEL : 3.5 mg/m³ (OSH)

9 PHYSICAL AND CHEMICAL PROPERTIES

Appearance	solid
Odor/taste	No characteristic odor
PH	N/A
Boiling Point	N/A
Melting Point	> 300 °C
Flash Point	N/A
Flammability	N/A
Oxidizing Properties	N/A
Explosive Properties	N/A
Explosion Limits	N/A

Material Safety Data Sheet

Fullerene C60 PCBM-BIS

Revision Date: 2011-01-27

Date Issued: 2009-08-12

Vapor Pressure	N/A
SG/Density	N/A
Partition Coefficient	N/A
Viscosity	N/A
Vapor Density	N/A
Saturated Vapor Conc.	N/A
Evaporation Rate	N/A
Bulk Density	N/A
Decomposition Temp.	N/A
Solvent Content	N/A
Water Content	N/A
Surface Tension	N/A
Conductivity	N/A
Solubility in water	insoluble

10 STABILITY AND REACTIVITY

Stability	Stable.
Conditions to avoid	Strong oxidizers (chlorate, strong acids), excessive heat or flame in air
Hazardous decomposition products	Not known.

11 TOXICOLOGICAL INFORMATION

Ingestion	May be harmful if swallowed.
Inhalation	May be harmful if inhaled. Material is irritating tomucous membranes and upper respiratory tract.

Material Safety Data Sheet

Fullerene C60 PCBM-BIS

Revision Date: 2011-01-27

Date Issued: 2009-08-12

Skin	Causes skin irritation. May be harmful if absorbed through the skin.
Eyes	Causes eye irritation

12 ECOLOGICAL INFORMATIONS

No data available.

13 DISPOSAL CONSIDERATIONS

Disposal method Contact specialist disposal companies. Dissolve or mix the material with a combustible solvent and burn in a chemical incinerator equipped with an afterburner and scrubber. Dispose of in accordance with Local Authority requirements. Recover and reclaim or recycle, if practical.

14 TRANSPORT INFORMATION

General	Not classified as dangerous for transport purposes.
UN No.	0
Road transport notes	Not classified as dangerous for road transport.
Rail transport notes	Not classified as dangerous for rail transport.
Sea transport notes	Not classified as dangerous for sea transport.
Air transport notes	Not classified as dangerous for air transport.

Material Safety Data Sheet

Fullerene C60 PCBM-BIS

Revision Date: 2011-01-27

Date Issued: 2009-08-12

15 REGULATORY INFORMATION

In accordance with local and national regulations.

16 OTHER INFORMATION

DISCLAIMER

THE ABOVE INFORMATION IS BELIEVED TO BE CORRECT BUT DOES NOT PURPOSED TO BE ALL INCLUSIVE AND SHALL BE USED ONLY AS A GUIDE. IOLITEC SHALL NOT BE HELD LIABLE FOR ANY DAMAGE RESULTING FROM HANDLING OR FROM CONTACT WITH THE ABOVE PRODUCT. THIS INFORMATION RELATES ONLY TO THE SPECIFIC MATERIAL DESIGNATED AND MAY NOT BE VALID FOR SUCH MATERIAL USED IN COMBINATION WITH ANY OTHER MATERIALS OR ANY PROCESS. IT IS THE USER'S RESPONSIBILITY TO SATISFY HIMSELF AS TO THE SUITABILITY OF SUCH INFORMATION FOR HIS OWN PARTICULAR USE.

IN NO WAY SHALL IOLITEC BE LIABLE FOR ANY CLAIMS, LOSSES OR DAMAGES OF ANY THIRD PARTY OR FOR THE LOST PROFITS OR ANY SPECIAL, INDIRECT, INCIDENTAL, CONSEQUENTIAL OR EXEMPLARY DAMAGES, HOWSOEVER ARISING, EVEN IF THE COMPANY HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.