

# Material Safety Data Sheet

## Fullerene C70 PCBM-BIS

Revision Date: 2011-05-25

Date Issued: 2009-08-12

### 1 IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND THE COMPANY / UNDERTAKING

<b>Product name</b>	Fullerene C70 PCBM-BIS
<b>Product code</b>	CP-0046-HP
<b>Supplier</b>	IoLiTec Ionic Liquids Technologies GmbH Salzstrasse 184 D-74076 Heilbronn Germany
<b>Telephone</b>	+49 (0)7131 - 898390
<b>Fax</b>	+49 (0)7131 - 89839109
<b>Emergency telephone</b>	+49 (0)179 - 5322578
<b>Email</b>	msds@iolitec.de

### 2 HAZARDS IDENTIFICATION

#### 2.1 Classification of the substance or mixture

##### Classification (67/548/EEC or 1999/45/EC)

Irritating to eyes and respiratory system.

##### Classification (REGULATION (EC) No 1272/2008)

Serious eye damage/Eye irritation, Category 2, H319

Specific Target Organ Toxicity - Single exposure: Respiratory tract irritation, Category 3, H335

# Material Safety Data Sheet

## Fullerene C70 PCBM-BIS

Revision Date: 2011-05-25

Date Issued: 2009-08-12

---

### 2.2 Label elements

#### Labelling (67/548/EEC or 1999/45/EC)

#### Hazard description:

#### Label for supply



Xi Irritant

#### Risk phrases

R36/37: Irritating to eyes and respiratory system.

#### Safety phrases

S26: In case of contact with eyes, rinse immediately with plenty of water and seek medical advice.

S36: Wear suitable protective clothing.

#### Labelling (REGULATION (EC) No 1272/2008, GHS)

#### *Hazard statements*



Warning

#### H-phrases

H319: Causes serious eye irritation.

H335: May cause respiratory irritation.

#### *Precautionary statements*

#### P-phrases

P261: Avoid breathing dust/fume/gas/mist/vapours/spray .

P280: Wear protectic gloves/protective clothing/eye protection/face protection .

P305 + P351 + P338: IF IN EYES: Rinse cautiously with water for several minutes.

Remove contact lenses, if present and easy to do. Continue rinsing.

# Material Safety Data Sheet

## Fullerene C70 PCBM-BIS

Revision Date: 2011-05-25

Date Issued: 2009-08-12

### 3 COMPOSITION / INFORMATION ON INGREDIENTS

<b>Ingredient name</b>	3'Phenyl-3'H-cyclopropa[8,25] [5,6]fullerene-C <sub>70</sub> -bis D <sub>5</sub> h(6)-3'butanoic acid, methyl ester
<b>Empirical Formula</b>	C <sub>70</sub> (C <sub>12</sub> H <sub>14</sub> O <sub>2</sub> ) <sub>2</sub>
<b>CAS No.</b>	-
<b>Molecular weight</b>	1221.2 amu

### 4 FIRST AID MEASURES

<b>General</b>	Contaminated clothing should be removed and washed before being reused.
<b>Inhalation</b>	Move the exposed person to fresh air at once. If breathing becomes difficult, call a physician.
<b>Ingestion</b>	Immediately rinse mouth and provide fresh air. Do not induce vomiting. Get medical attention immediately.
<b>Skin</b>	Wash the skin immediately with soap and copious amount of water.
<b>Eyes</b>	Promptly wash eyes with plenty of water while lifting the eye lids for. Continue to rinse for at least 15 minutes. Get medical attention immediately. Continue to rinse.

# Material Safety Data Sheet

## Fullerene C70 PCBM-BIS

Revision Date: 2011-05-25

Date Issued: 2009-08-12

### 5 FIRE FIGHTING MEASURES

<b>Extinguishing media</b>	Water, CO <sub>2</sub> , dry chemical powder or appropriate foam.
<b>Specific risks</b>	Specific Hazard(s): Emits toxic fumes under fire conditions.
<b>Protective measures in fire</b>	Wear self-contained breathing apparatus as combustion may produce hazardous fumes.

### 6 ACCIDENTAL RELEASE MEASURES

<b>Personal precautions during spill</b>	Wear protective clothing and avoid inhalation of powder, fume and vapor as well as skin or eye contact.
<b>Precautions to protect environment</b>	Avoid washing into water courses. Avoid contaminating public drains or water supply.
<b>Spill cleanup methods</b>	Avoid contact with skin or inhalation of spillage, dust or vapor, Avoid dust formation. Collect and reclaim or dispose in sealed containers in license waste. Extinguish all ignition sources. Avoid sparks, flames, heat and smoking. Ventilate.

### 7 HANDLING AND STORAGE

<b>Handling precautions</b>	Do not breathe dust. Avoid contact with eyes, skin, and clothing. Avoid prolonged or repeated exposure.
-----------------------------	---

# Material Safety Data Sheet

## Fullerene C70 PCBM-BIS

Revision Date: 2011-05-25

Date Issued: 2009-08-12

---

<b>Storage precautions</b>	Keep tightly closed.
<b>Special requirements</b>	Heat-, light-, and moisture-sensitive.

### 8 EXPOSURE CONTROLS AND PERSONAL PROTECTION

<b>Protective equipment</b>	Safety goggles. Chemical resident gloves. Protective clothing.
<b>Process control measures</b>	Provide eyewash station and safety shower.
<b>Ventilation</b>	Provide adequate general and local exhaust ventilation. Mechanical exhaust required.
<b>Respirators</b>	Dust mask type N95(US) or P1(EN143) if TLV is exceeded
<b>Exposure Limits</b>	
TLV: 3.5 mg/m <sup>3</sup> (ACGIH)	
PEL : 3.5 mg/m <sup>3</sup> (OSH)	

### 9 PHYSICAL AND CHEMICAL PROPERTIES

<b>Appearance</b>	solid
<b>Odor/taste</b>	No characteristic odor
<b>PH</b>	N/A
<b>Boiling Point</b>	N/A
<b>Melting Point</b>	> 300 °C
<b>Flash Point</b>	N/A
<b>Flammability</b>	N/A
<b>Oxidizing Properties</b>	N/A
<b>Explosive Properties</b>	N/A
<b>Explosion Limits</b>	N/A

# Material Safety Data Sheet

## Fullerene C70 PCBM-BIS

Revision Date: 2011-05-25

Date Issued: 2009-08-12

---

<b>Vapor Pressure</b>	N/A
<b>SG/Density</b>	N/A
<b>Partition Coefficient</b>	N/A
<b>Viscosity</b>	N/A
<b>Vapor Density</b>	N/A
<b>Saturated Vapor Conc.</b>	N/A
<b>Evaporation Rate</b>	N/A
<b>Bulk Density</b>	N/A
<b>Decomposition Temp.</b>	N/A
<b>Solvent Content</b>	N/A
<b>Water Content</b>	N/A
<b>Surface Tension</b>	N/A
<b>Conductivity</b>	N/A
<b>Solubility in water</b>	insoluble

### 10 STABILITY AND REACTIVITY

<b>Stability</b>	Stable.
<b>Conditions to avoid</b>	Strong oxidizers (chlorate, strong acids), excessive heat or flame in air
<b>Hazardous decomposition products</b>	Not known.

### 11 TOXICOLOGICAL INFORMATION

<b>Ingestion</b>	May be harmful if swallowed.
<b>Inhalation</b>	May be harmful if inhaled. Material is irritating tomucous membranes and upper respiratory tract.

# Material Safety Data Sheet

## Fullerene C70 PCBM-BIS

Revision Date: 2011-05-25

Date Issued: 2009-08-12

---

<b>Skin</b>	Causes skin irritation. May be harmful if absorbed through the skin.
<b>Eyes</b>	Causes eye irritation

### 12 ECOLOGICAL INFORMATIONS

No data available.

### 13 DISPOSAL CONSIDERATIONS

**Disposal method** Contact specialist disposal companies. Dissolve or mix the material with a combustible solvent and burn in a chemical incinerator equipped with an afterburner and scrubber. Dispose of in accordance with Local Authority requirements. Recover and reclaim or recycle, if practical.

### 14 TRANSPORT INFORMATION

<b>General</b>	Not classified as dangerous for transport purposes.
<b>UN No.</b>	0
<b>Road transport notes</b>	Not classified as dangerous for road transport.
<b>Rail transport notes</b>	Not classified as dangerous for rail transport.
<b>Sea transport notes</b>	Not classified as dangerous for sea transport.
<b>Air transport notes</b>	Not classified as dangerous for air transport.

# Material Safety Data Sheet

## Fullerene C70 PCBM-BIS

Revision Date: 2011-05-25

Date Issued: 2009-08-12

---

### 15 REGULATORY INFORMATION

In accordance with local and national regulations.

### 16 OTHER INFORMATION

#### DISCLAIMER

THE ABOVE INFORMATION IS BELIEVED TO BE CORRECT BUT DOES NOT PURPOSED TO BE ALL INCLUSIVE AND SHALL BE USED ONLY AS A GUIDE. IOLITEC SHALL NOT BE HELD LIABLE FOR ANY DAMAGE RESULTING FROM HANDLING OR FROM CONTACT WITH THE ABOVE PRODUCT. THIS INFORMATION RELATES ONLY TO THE SPECIFIC MATERIAL DESIGNATED AND MAY NOT BE VALID FOR SUCH MATERIAL USED IN COMBINATION WITH ANY OTHER MATERIALS OR ANY PROCESS. IT IS THE USER'S RESPONSIBILITY TO SATISFY HIMSELF AS TO THE SUITABILITY OF SUCH INFORMATION FOR HIS OWN PARTICULAR USE.

IN NO WAY SHALL IOLITEC BE LIABLE FOR ANY CLAIMS, LOSSES OR DAMAGES OF ANY THIRD PARTY OR FOR THE LOST PROFITS OR ANY SPECIAL, INDIRECT, INCIDENTAL, CONSEQUENTIAL OR EXEMPLARY DAMAGES, HOWSOEVER ARISING, EVEN IF THE COMPANY HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.