

# Safety Data Sheet

according to Regulation (EC) No 1907/2006

## Chromium powder, coated with oleic acid

Revision Date: 8/19/2025

Version: 3

### 1 IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND THE COMPANY/UNDERTAKING

#### 1.1 Product identifier

**Product name** Chromium powder, 50 nm, coated with oleic acid

**Product code** NM-0006

Nanoform 50 nm

**CAS** 7440-47-3

**EC-Number:** 231-157-5

**REACH No.** A registration number is not available for this substance as the substance or its uses are exempted from registration, the annual tonnage does not require a registration or the registration envisaged for a later registration deadline.

#### 1.2 Relevant identified uses of the substance or mixture and uses advised against

**Identified uses** Laboratory chemicals, Manufacture of substances

#### 1.3 Details of the supplier of the safety data sheet

**Supplier** IoLiTec  
Ionic Liquids Technologies GmbH  
Im Zukunftspark 9  
D – 74076 Heilbronn  
Germany

**Telephone** +49 (0)7131-89839-0

**Fax** +49 (0)7131-89839-109

**Email** msds@iolitec.de

#### 1.4 Emergency telephone number

**Emergency telephone** +49 (0)151-41255671

# Safety Data Sheet

according to Regulation (EC) No 1907/2006

## Chromium powder, coated with oleic acid

Revision Date: 8/19/2025

Version: 3

### 2 HAZARDS IDENTIFICATION

#### 2.1 Classification of the substance or mixture

##### Classification (REGULATION (EC) No 1272/2008)

Flammable solids (Category 1)

Carcinogenicity (Category 2)

#### 2.2 Label elements

##### Labelling (REGULATION (EC) No 1272/2008)

Pictogram



Signal word

Danger

##### Hazard statements

##### H-phrases

H228 Flammable solid.

H351 Suspected of causing cancer.

##### Precautionary statements

##### P phrases

P201 [Obtain special instructions before use.](#)

P202 Do not handle until all safety precautions have been read and understood.

P210 Keep away from heat/ sparks/ open flames/ hot surfaces . - No smoking.

P240 Ground/bond container and receiving equipment.

[P241](#) [Use explosion-proof equipment.](#)

# Safety Data Sheet

according to Regulation (EC) No 1907/2006

## Chromium powder, coated with oleic acid

Revision Date: 8/19/2025

Version: 3

P280	Wear protective gloves/protective clothing/eye protection/face protection.
P308 + P313	IF exposed or concerned: Get medical advice/attention.
P370 + P378	In case of fire: Use sand or fire extinguisher class D for extinction.
P501	Dispose of contents/container Dispose of in accordance with Local Authority requirements. Recover and reclaim or recycle, if practical.

### 2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

#### *Ecological information:*

The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

#### *Toxicological information:*

The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

## 3 COMPOSITION/INFORMATION ON INGREDIENTS

### 3.1 Substances

Chromium powder, 50 nm, coated with oleic acid

**CAS:** 7440-47-3

# Safety Data Sheet

according to Regulation (EC) No 1907/2006

## Chromium powder, coated with oleic acid

Revision Date: 8/19/2025

Version: 3

**EC-Number:** 231-157-5

<b>Ingredient name</b>	<b>Contents</b>	<b>Classification</b>
Chromium powder, 50 nm, coated with oleic acid	99.5%	Flam. Sol. 1; Carc. 2
<b>Formula</b>	<b>Molecular Weight</b>	
Cr	52.00 g/mol	
No components need to be disclosed according to the applicable regulations.		

### 4 FIRST AID MEASURES

#### 4.1 Description of first aid measures

##### General

Contaminated clothing should be removed and washed before being reused.

[Contaminated clothing should not be allowed out of the work place.](#)

##### Inhalation

Move the exposed person to fresh air at once. If respiratory problems, provide artificial respiration/oxygen. [Get medical attention if you feel unwell.](#)

##### Ingestion

Immediately rinse mouth and provide fresh air. Do not induce vomiting. Get medical attention immediately.

##### Skin

Wash the skin immediately with soap and water. [Get medical attention if you feel unwell.](#)

##### Eyes

Promptly wash eyes with plenty of water while lifting the eye lids. Continue to rinse for at least 15 minutes. [Get medical attention if you feel unwell.](#)

#### 4.2 Most important symptoms and effects, both acute and delayed

The most important known symptoms and effects are described in the labelling (see section 2.2) and/or in section 11.

#### 4.3 Indication of any immediate medical attention and special treatment needed

No data available.

# Safety Data Sheet

according to Regulation (EC) No 1907/2006

## Chromium powder, coated with oleic acid

Revision Date: 8/19/2025

Version: 3

### 5 FIRE FIGHTING MEASURES

#### 5.1 Extinguishing media

Use suitable fire-fighting measures depending on the surrounding environment.

Use: extinguishing powder for metal fires. Do not use water.

#### 5.2. Special hazards arising from the substance or mixture

Avoid water in straight hose stream, will scatter and spread fire. Keep run-off water out of sewers and water sources. Dike for water control. Fire causes formation of toxic gases.

#### 5.3. Advice for firefighters

Wear self-contained breathing apparatus as combustion may produce hazardous fumes.

### 6 ACCIDENTAL RELEASE MEASURES

#### 6.1 Personal precautions, protective equipment and emergency procedures

Wear protective clothing and avoid inhalation of vapor, skin or eye contact.

#### 6.2 Environmental precautions

Avoid washing into water courses. Discharge into the environment must be avoided.

#### 6.3 Methods and materials for containment and cleaning up

Extinguish all ignition sources. Avoid sparks, flames, heat and smoking. Ventilate.

Avoid contact with skin or inhalation of spillage, dust or vapor. Avoid dust formation.

Collect and reclaim or dispose in sealed containers in license waste.

#### 6.4 Reference to other sections

For disposal see section 13.

### 7 HANDLING AND STORAGE

#### 7.1 Precautions for safe handling

# Safety Data Sheet

according to Regulation (EC) No 1907/2006

## **Chromium powder, coated with oleic acid**

Revision Date: 8/19/2025

Version: 3

Minimize dust generation and accumulation. Avoid breathing dust, vapor, mist, or gas. Avoid contact with skin and eyes. Avoid ingestion and inhalation. Do not use in confined spaces without adequate ventilation and/or respirator. Keep ignition sources away. Protect against electrostatic charges. Fumes can combine with air to form an explosive mixture.

### **7.2 Conditions for safe storage, including any incompatibilities**

#### **Storage conditions**

Store in a dry and well-ventilated place. Keep container tightly closed. Air-sensitive.

#### **Storage class**

Storage class (TRGS 510): 4.1B: Flammable solids or desensitizing explosive substances

### **7.3 Specific end use(s)**

Chemical storage.

## **8 EXPOSURE CONTROLS AND PERSONAL PROTECTION**

### **8.1 Control parameters**

Ingredients with workplace control parameters.

### **8.2 Exposure controls**

#### **Eye/face protection**

Safety glasses with side-shields conforming to EN166 Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU).

#### **Skin protection**

Handle with gloves. Gloves must be inspected prior to use. Use proper glove removal technique (without touching glove's outer surface) to avoid skin contact with this product. Dispose of contaminated gloves after use in accordance with applicable laws and good laboratory practices. Wash and dry hands.

# Safety Data Sheet

according to Regulation (EC) No 1907/2006

## Chromium powder, coated with oleic acid

Revision Date: 8/19/2025

Version: 3

The selected protective gloves have to satisfy the specifications of EU Directive 89/686/EEC and the standard EN 374 derived from it.

### Body Protection

Impervious clothing. The type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace.

### Respiratory protection

For nuisance exposures use type P95 (US) or type P1 (EU EN 143) particle respirator. For higher level protection use type OV/AG/P99 (US) or type ABEK-P2 (EU EN 143) respirator cartridges. Use respirators and components tested and approved under appropriate government standards such as NIOSH (US) or CEN (EU).

## 9 PHYSICAL AND CHEMICAL PROPERTIES

### 9.1 Information on basic physical and chemical properties

a) Physical state powder	Solid, powder.
b) Color	Black/Grey.
c) Odor	No characteristic odor.
d) Melting point/freezing point	1875°C
e) Initial boiling point/boiling range	2482°C
f) Flammability (solid, gas)	Highly flammable.
g) Upper/lower flammability or explosive limits	No data available.
h) Flash point	No data available.
i) Autoignition temperature	No data available.
j) Decomposition temperature	No data available.
k) pH	No data available.
l) Viscosity	Viscosity, kinematic: No data available. Viscosity, dynamic: No data available.
m) Water solubility	No data available.

# Safety Data Sheet

according to Regulation (EC) No 1907/2006

## Chromium powder, coated with oleic acid

Revision Date: 8/19/2025

Version: 3

n) Partition coefficient: n-octanol/water	Not applicable for inorganic substances
o) Vapor pressure	No data available.
p) Density/ Relative density	7.19 g/cm <sup>3</sup>
q) Relative vapor density	No data available.
r) Particle characteristics	Average Particle Size: 50 nm
s) Explosive properties	No data available.
t) Oxidizing properties	No data available.

### 9.2 Other safety information

No data available.

## 10 STABILITY AND REACTIVITY

### 10.1 Reactivity

No data available.

### 10.2 Chemical stability

Stable under normal temperatures and pressures.

### 10.3 Possibility of hazardous reactions

No data available.

### 10.4 Conditions to avoid

No data available.

### 10.5 Incompatible materials

Strong oxidizing agents.

### 10.6 Hazardous decomposition products

High temperatures generate: Corrosive gases/vapor/fumes of: Metal oxides.

## 11 TOXICOLOGICAL INFORMATION

### 11.1 Information on hazard classes



# Safety Data Sheet

according to Regulation (EC) No 1907/2006

## Chromium powder, coated with oleic acid

Revision Date: 8/19/2025

Version: 3

---

### Acute toxicity

No data available.

### Skin corrosion/irritation

No data available.

### Serious eye damage/eye irritation

No data available.

### Respiratory or skin sensitization

No data available.

### Germ cell mutagenicity

No data available.

### Carcinogenicity

Carcinogenicity (Category 2)

### Reproductive toxicity

No data available.

### Specific target organ toxicity - single exposure

Inhalation - May cause respiratory irritation.

### Specific target organ toxicity - repeated exposure

No data available.

### Aspiration hazard

No data available.

### Potential health effects

**Inhalation** No data available.

**Ingestion** No data available.

**Skin** No data available.

**Eyes** No data available.

### Signs and Symptoms of Exposure

To the best of our knowledge, the chemical, physical, and toxicological properties have not been thoroughly investigated.

### 11.2 Additional Information

# Safety Data Sheet

according to Regulation (EC) No 1907/2006

## Chromium powder, coated with oleic acid

Revision Date: 8/19/2025

Version: 3

### Endocrine disrupting properties

The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU)2018/605 at levels of 0.1% or higher.

#### RTECS:

To the best of our knowledge, the chemical, physical, and toxicological properties have not been thoroughly investigated. The Registry of Toxic Effects of Chemical Substances (RTECS) reports the following effects in laboratory animals:

Gastrointestinal - tumors.

Blood - lymphoma, including Hodgkin's disease.

Musculoskeletal - tumors.

Tumorigenic - tumors at site of application.

Tumorigenic - equivocal tumorigenic agent by RTECS criteria.

## 12 ECOLOGICAL INFORMATION

### 12.1 Toxicity

No data available.

### 12.2 Persistence and degradability

No data available.

### 12.3 Bioaccumulative potential

No data available.

### 12.4 Mobility in soil

No data available.

### 12.5 Results of PBT and vPvB assessment

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

# Safety Data Sheet

according to Regulation (EC) No 1907/2006

## Chromium powder, coated with oleic acid

Revision Date: 8/19/2025

Version: 3

### 12.6 Endocrine disrupting properties

The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

### 12.7 Other adverse effects

Discharge into the environment must be avoided.

## 13 DISPOSAL CONSIDERATIONS

### 13.1 Waste treatment methods

Contact specialist disposal companies. Dispose of in accordance with Local Authority requirements. Recover and reclaim or recycle, if practical.

## 14 TRANSPORT INFORMATION

### 14.1 UN number

ADR/RID: UN3089

IMDG: UN3089

IATA: UN3089

### 14.2 UN proper shipping name

ADR/RID: METAL POWDER, FLAMMABLE, N.O.S. (Chromium)

IMDG: METAL POWDER, FLAMMABLE, N.O.S. (CHROMIUM)

IATA: Metal powder, flammable, n.o.s. (Chromium)

### 14.3 Transport hazard class(es)

ADR/RID: 4.1

IMDG: 4.1

IATA: 4.1

### 14.4 Packaging group

ADR/RID: II

IMDG: II

IATA: II

### 14.5 Environmental hazards

ADR/RID: no

IMDG Marine pollutant: no

IATA: no

# Safety Data Sheet

according to Regulation (EC) No 1907/2006

## Chromium powder, coated with oleic acid

Revision Date: 8/19/2025

Version: 3

### 14.6 Special precautions for user

No data available.

## 15 REGULATORY INFORMATION

### 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

This safety datasheet complies with the requirements of Regulation (EC) No. 1907/2006.

### 15.2 Chemical safety assessment

no data available

### Country specific information

Germany

WGK: 3

(Self-Classification)

## 16 OTHER INFORMATION

### DISCLAIMER

THE ABOVE INFORMATION IS BELIEVED TO BE CORRECT BUT DOES NOT PURPOSED TO BE ALL INCLUSIVE AND SHALL BE USED ONLY AS A GUIDE. IOLITEC SHALL NOT BE HELD LIABLE FOR ANY DAMAGE RESULTING FROM HANDLING OR FROM CONTACT WITH THE ABOVE PRODUCT. THIS INFORMATION RELATES ONLY TO THE SPECIFIC MATERIAL DESIGNATED AND MAY NOT BE VALID FOR SUCH MATERIAL USED IN COMBINATION WITH ANY OTHER MATERIALS OR ANY PROCESS. IT IS THE USER'S RESPONSIBILITY TO SATISFY HIMSELF AS TO THE SUITABILITY OF SUCH INFORMATION FOR HIS OWN PARTICULAR USE. IN NO WAY SHALL IOLITEC BE LIABLE FOR ANY CLAIMS, LOSSES OR DAMAGES OF ANY THIRD PARTY OR FOR THE LOST PROFITS OR ANY SPECIAL, INDIRECT, INCIDENTAL, CONSEQUENTIAL OR EXEMPLARY DAMAGES, HOWSOEVER ARISING, EVEN IF THE COMPANY HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.