

# Safety Data Sheet

according to Regulation (EC) No 1907/2006

## Chromium(III) oxide powder

Revision Date: 9/17/2025

Version: 3

### 1 IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND THE COMPANY/UNDERTAKING

#### 1.1 Product identifier

Product name	Chromium(III) oxide powder, 60 nm
Product code	NO-0018
CAS	1308-38-9
EC Number:	215-160-9
REACH No.	A registration number is not available for this substance as the substance or its uses are exempted from registration, the annual tonnage does not require a registration or the registration envisaged for a later registration deadline.

#### 1.2 Relevant identified uses of the substance or mixture and uses advised against

Identified uses	Laboratory chemicals, Manufacture of substances
-----------------	---

#### 1.3 Details of the supplier of the safety data sheet

Supplier	IoLiTec Ionic Liquids Technologies GmbH Im Zukunftspark 9 D – 74076 Heilbronn Germany
Telephone	+49 (0)7131-89839-0
Fax	+49 (0)7131-89839-109
Email	msds@iolitec.de

#### 1.4 Emergency telephone number

Emergency telephone	+49 (0)151-41255671
---------------------	---------------------

# Safety Data Sheet

according to Regulation (EC) No 1907/2006

## Chromium(III) oxide powder

Revision Date: 9/17/2025

Version: 3

### 2 HAZARDS IDENTIFICATION

#### 2.1 Classification of the substance or mixture

##### Classification (REGULATION (EC) No 1272/2008)

Acute Toxicity, inhalation (Category 4)

Acute Toxicity, oral (Category 4)

Sensitisation (Skin) (Category 1)

Hazardous respirable dust may be formed when used.

#### 2.2 Label elements

##### Labelling (REGULATION (EC) No 1272/2008)

##### Pictogram



##### Signal word

**Warning**

##### *Hazard statements*

##### H-phrases

H302

Harmful if swallowed.

H317

May cause an allergic skin reaction.

H332

Harmful if inhaled.

EUH212

Warning! Hazardous respirable dust may be formed when used. Do not breathe dust.

##### *Precautionary statements*

##### P phrases

P261

Avoid breathing dust/fume/mist/vapours/spray.

P264

Wash skin thoroughly after handling.

# Safety Data Sheet

according to Regulation (EC) No 1907/2006

## Chromium(III) oxide powder

Revision Date: 9/17/2025

Version: 3

P270	Do not eat, drink, or smoke when using this product.
P271	Use only outdoors or in a well-ventilated area.
P280	Wear protective gloves/ protective clothing/ eye protection/ face protection.
P301 + P312	IF SWALLOWED: Call a POISON CENTER or doctor/physician if you feel unwell.
P302 + P352	IF ON SKIN: Wash with soap and water.
P304 + P340 + P312	IF INHALED: Remove person to fresh air and keep comfortable for breathing. Call a POISON CENTER/ doctor if you feel unwell.
P333 + P313	If skin irritation or a rash occurs: Get medical advice/attention.
P330	Rinse mouth.
P362 + P364	Take off contaminated clothing and wash it before reuse.
P501	Dispose of contents/container in accordance to the local regulations.

### 2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

## 3 COMPOSITION/INFORMATION ON INGREDIENTS

### 3.1 Substances

Chromium(III) oxide, 60 nm

**CAS:** 1308-38-9

# Safety Data Sheet

according to Regulation (EC) No 1907/2006

## Chromium(III) oxide powder

Revision Date: 9/17/2025

Version: 3

**EC Number:** 215-160-9

<b>Ingredient name</b>	<b>Contents</b>	<b>Classification</b>
Chromium(III) oxide, 60 nm	99+%	Ac. Tox. 4; Sens. skin 1
<b>Formula</b>	<b>Molecular Weight</b>	
Cr <sub>2</sub> O <sub>3</sub>	151.99 g/mol	

No components need to be disclosed according to the applicable regulations.

## 4 FIRST AID MEASURES

### 4.1 Description of first aid measures

#### General

Contaminated clothing should be removed and washed before being reused.

Contaminated clothing should not be allowed out of the work place.

#### Inhalation

Move the exposed person to fresh air at once. If respiratory problems, provide artificial respiration/oxygen. Get medical attention if you feel unwell.

#### Ingestion

Immediately rinse mouth and provide fresh air. Do not induce vomiting. Get medical attention immediately.

#### Skin

Wash the skin immediately with soap and water. Get medical attention if you feel unwell.

#### Eyes

Promptly wash eyes with plenty of water while lifting the eye lids. Continue to rinse for at least 15 minutes. Get medical attention if you feel unwell.

### 4.2 Most important symptoms and effects, both acute and delayed

The most important known symptoms and effects are described in the labelling (see section 2.2) and/or in section 11.

### 4.3 Indication of any immediate medical attention and special treatment needed

No data available.

# Safety Data Sheet

according to Regulation (EC) No 1907/2006

## Chromium(III) oxide powder

Revision Date: 9/17/2025

Version: 3

### 5 FIRE FIGHTING MEASURES

#### 5.1 Extinguishing media

Use suitable fire-fighting measures depending on the surrounding environment. Use: Water spray, fog or mist. Carbon dioxides (CO<sub>2</sub>). Dry chemicals, sand, dolomite etc.

#### 5.2. Special hazards arising from the substance or mixture

Avoid water in straight hose stream, will scatter and spread fire. Keep run-off water out of sewers and water sources. Dike for water control. Fire causes formation of toxic gases.

#### 5.3. Advice for firefighters

Wear self-contained breathing apparatus as combustion may produce hazardous fumes.

### 6 ACCIDENTAL RELEASE MEASURES

#### 6.1 Personal precautions, protective equipment and emergency procedures

Wear protective clothing and avoid inhalation of vapor, skin or eye contact.

#### 6.2 Environmental precautions

Avoid washing into water courses. Avoid contaminating public drains or water supply.

#### 6.3 Methods and materials for containment and cleaning up

Avoid contact with skin or inhalation of spillage, dust or vapor. Avoid dust formation. Collect and reclaim or dispose in sealed containers in license waste. Avoid sparks, flames, heat and smoking. Ventilate.

#### 6.4 Reference to other sections

For disposal see section 13.

# Safety Data Sheet

according to Regulation (EC) No 1907/2006

## Chromium(III) oxide powder

Revision Date: 9/17/2025

Version: 3

### 7 HANDLING AND STORAGE

#### 7.1 Precautions for safe handling

Minimize dust generation and accumulation. Avoid breathing dust, vapor, mist, or gas. Avoid contact with skin and eyes. Avoid ingestion and inhalation. Do not use in confined spaces without adequate ventilation and/or respirator.

#### 7.2 Conditions for safe storage, including any incompatibilities

##### Storage conditions

Store tightly closed at moderate temperatures in dry, well-ventilated area. Hygroscopic. Handle and store under inert gas. Chemical storage.

##### Storage class

Storage class (TRGS 510): LGK 11: Combustible Solids.

#### 7.3 Specific end use(s)

Apart from the uses mentioned in section 1.2 no other specific uses are stipulated.

### 8 EXPOSURE CONTROLS AND PERSONAL PROTECTION

#### 8.1 Control parameters

Ingredients with workplace control parameters.

#### 8.2 Exposure controls

##### Eye/face protection

Safety glasses with side-shields conforming to EN166. Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU).

##### Skin protection

Handle with gloves. Gloves must be inspected prior to use. Use proper glove removal technique (without touching glove's outer surface) to avoid skin contact with this product. Dispose of contaminated gloves after use in accordance with applicable laws and good laboratory practices. Wash and dry hands.

# Safety Data Sheet

according to Regulation (EC) No 1907/2006

## Chromium(III) oxide powder

Revision Date: 9/17/2025

Version: 3

The selected protective gloves have to satisfy the specifications of EU Directive 89/686/EEC and the standard EN 374 derived from it.

### Body Protection

Impervious clothing. The type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace.

### Respiratory protection

For nuisance exposures use type P95 (US) or type P1 (EU EN 143) particle respirator. For higher level protection use type OV/AG/P99 (US) or type ABEK-P2 (EU EN 143) respirator cartridges. Use respirators and components tested and approved under appropriate government standards such as NIOSH (US) or CEN (EU).

## 9 PHYSICAL AND CHEMICAL PROPERTIES

### 9.1 Information on basic physical and chemical properties

a) Physical state	Solid.
b) Color	Green.
c) Odor	No characteristic odor.
d) Melting point/freezing point	2435°C
e) Initial boiling point	4000°C
f) Flammability	no data available
g) Upper/lower explosive limits	no data available
h) Flash point	no data available
i) Autoignition temperature	no data available
j) Decomposition temperature	no data available
k) pH	no data available
l) Kinematic viscosity	no data available
m) Water solubility	no data available
n) Partition coefficient	no data available
o) Vapor pressure	no data available

# Safety Data Sheet

according to Regulation (EC) No 1907/2006

## Chromium(III) oxide powder

Revision Date: 9/17/2025

Version: 3

---

<b>p) Density</b>	5.22 g/cm <sup>3</sup>
<b>q) Relative vapor density</b>	no data available
<b>r) Particle characteristics</b>	60 nm APS
<b>s) Explosive properties</b>	no data available
<b>t) Oxidizing properties</b>	no data available

### 9.2 Other safety information

No data available.

## 10 STABILITY AND REACTIVITY

### 10.1 Reactivity

No data available.

### 10.2 Chemical stability

Stable under normal temperatures and pressures.

### 10.3 Possibility of hazardous reactions

No data available.

### 10.4 Conditions to avoid

No data available.

### 10.5 Incompatible materials

Strong oxidizing agents. Acids. Interhalogens.

### 10.6 Hazardous decomposition products

No data available.

Acute Toxicity, inhalation (Category 4)

Acute Toxicity, oral (Category 4)

Sensitisation (Skin) (Category 1)

Hazardous respirable dust may be formed when used.



# Safety Data Sheet

according to Regulation (EC) No 1907/2006

## Chromium(III) oxide powder

Revision Date: 9/17/2025

Version: 3

### 11 TOXICOLOGICAL INFORMATION

#### 11.1 Information on hazard classes

##### Acute toxicity

Acute Toxicity, oral (Category 4).

##### Skin corrosion/irritation

Sensitisation (Skin) (Category 1).

##### Serious eye damage/eye irritation

No data available.

##### Respiratory or skin sensitization

Acute Toxicity, inhalation (Category 4).

Hazardous respirable dust may be formed when used.

##### Germ cell mutagenicity

No data available.

##### Carcinogenicity

IARC: No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.

##### Reproductive toxicity

No data available.

##### Specific target organ toxicity - single exposure

Inhalation - May cause respiratory irritation.

##### Specific target organ toxicity - repeated exposure

No data available.

##### Aspiration hazard

No data available.

##### Potential health effects

**Inhalation** May be harmful if inhaled. Causes respiratory tract irritation.

**Ingestion** May be harmful if swallowed. Acute Toxicity, oral (Category 4).

**Skin** May be harmful if absorbed through skin. Causes skin irritation.

# Safety Data Sheet

according to Regulation (EC) No 1907/2006

## Chromium(III) oxide powder

Revision Date: 9/17/2025

Version: 3

**Eyes** No data available.

### Signs and Symptoms of Exposure

To the best of our knowledge, the chemical, physical, and toxicological properties have not been thoroughly investigated.

### 11.2 Additional Information

#### Endocrine disrupting properties

The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU)2018/605 at levels of 0.1% or higher.

#### RTECS:

To the best of our knowledge, the chemical, physical, and toxicological properties have not been thoroughly investigated.

## 12 ECOLOGICAL INFORMATION

### 12.1 Toxicity

Toxicity to fish static test LC50 - Danio rerio (zebra fish) - > 10.000 mg/l - 96 h

### 12.2 Persistence and degradability

No data available.

### 12.3 Bioaccumulative potential

No data available.

### 12.4 Mobility in soil

No data available.

### 12.5 Results of PBT and vPvB assessment

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

# Safety Data Sheet

according to Regulation (EC) No 1907/2006

## Chromium(III) oxide powder

Revision Date: 9/17/2025

Version: 3

### 12.6 Endocrine disrupting properties

The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU)2018/605 at levels of 0.1% or higher.

### 12.7 Other adverse effects

No data available.

## 13 DISPOSAL CONSIDERATIONS

### 13.1 Waste treatment methods

Contact specialist disposal companies. Dispose of in accordance with Local Authority requirements. Recover and reclaim or recycle, if practical. [Do not dispose in communal waste water.](#)

## 14 TRANSPORT INFORMATION

### 14.1 UN number

ADR/RID: -

IMDG: -

IATA: -

### 14.2 UN proper shipping name

ADR/RID: Not dangerous goods

IMDG: Not dangerous goods

IATA: Not dangerous goods

### 14.3 Transport hazard class(es)

ADR/RID: -

IMDG: -

IATA: -

### 14.4 Packaging group

ADR/RID: -

IMDG: -

IATA: -

### 14.5 Environmental hazards

ADR/RID: no

IMDG Marine pollutant: no

IATA: no

# Safety Data Sheet

according to Regulation (EC) No 1907/2006

## Chromium(III) oxide powder

Revision Date: 9/17/2025

Version: 3

### 14.6 Special precautions for user

No data available.

## 15 REGULATORY INFORMATION

### 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

This safety datasheet complies with the requirements of Regulation (EC) No. 1907/2006.

### 15.2 Chemical safety assessment

No data available.

### Country specific information

Germany

WGK: 3

(Self-Classification)

## 16 OTHER INFORMATION

### DISCLAIMER

THE ABOVE INFORMATION IS BELIEVED TO BE CORRECT BUT DOES NOT PURPOSED TO BE ALL INCLUSIVE AND SHALL BE USED ONLY AS A GUIDE. IOLITEC SHALL NOT BE HELD LIABLE FOR ANY DAMAGE RESULTING FROM HANDLING OR FROM CONTACT WITH THE ABOVE PRODUCT. THIS INFORMATION RELATES ONLY TO THE SPECIFIC MATERIAL DESIGNATED AND MAY NOT BE VALID FOR SUCH MATERIAL USED IN COMBINATION WITH ANY OTHER MATERIALS OR ANY PROCESS. IT IS THE USER'S RESPONSIBILITY TO SATISFY HIMSELF AS TO THE SUITABILITY OF SUCH INFORMATION FOR HIS OWN PARTICULAR USE.

IN NO WAY SHALL IOLITEC BE LIABLE FOR ANY CLAIMS, LOSSES OR DAMAGES OF ANY THIRD PARTY OR FOR THE LOST PROFITS OR ANY SPECIAL, INDIRECT, INCIDENTAL, CONSEQUENTIAL OR EXEMPLARY DAMAGES, HOWSOEVER ARISING, EVEN IF THE COMPANY HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.