

according to Regulation (EC) No 1907/2006

Aluminium-doped Zinc Oxide

Revision Date: 9/16/2025 Version: 3

1 IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND THE COMPANY/UNDERTAKING

1.1 Product identifier

Product name Aluminium-doped Zinc oxide,

Nanoform, 20 – 40 nm

Product code NO-0061

CAS 37275-76-6

EC-Number 215-222-5

REACH No. A registration number is not available for this

substance as the substance or its uses are

exempted from registration, the annual tonnage

does not require a registration or the registration

envisaged for a later registration deadline.

1.2 Relevant identified uses of the substance or mixture and uses advised

against

Identified uses Laboratory chemicals, Manufacture of substances

1.3 Details of the supplier of the safety data sheet

Supplier loLiTec

Ionic Liquids Technologies GmbH

Im Zukunftspark 9

D – 74076 Heilbronn

Germany

Telephone +49 (0)7131-89839-0

Fax +49 (0)7131-89839-109

Email msds@iolitec.de

1.4 Emergency telephone number

Emergency telephone +49 (0)151-41255671

NO-0061 Page: 1/13



according to Regulation (EC) No 1907/2006

Aluminium-doped Zinc Oxide

Revision Date: 9/16/2025 Version: 3

2 HAZARDS IDENTIFICATION

2.1 Classification of the substance or mixture

Classification (REGULTATION (EC) No 1272/2008)

Acute aquatic toxicity (Category 1)

Chronic aquatic toxicity (Category 1)

Eye Irritation (Category 2A)

Specific Target Organ Toxicity - Single exposure: Respiratory tract irritation

(Category 3)

Hazardous respirable dust may be formed when used.

2.2 Label elements

Labelling (REGULATION (EC) No 1272/2008)

Pictogram





Signal word

Warning

Hazard statements

H-phrases

H319 Causes serious eye irritation.
H335 May cause respiratory irritation.

H400 Very toxic to aquatic life.

H410 Very toxic to aquatic life with long lasting effects.

EUH212 Warning! Hazardous respirable dust may be

formed when used. Do not breathe dust.

NO-0061 Page: 2/13



according to Regulation (EC) No 1907/2006

Aluminium-doped Zinc Oxide

Revision Date: 9/16/2025 Version: 3

Precautionary statements

Ρ	ph	ra	S	es
---	----	----	---	----

P261 Avoid breathing dust/ fume/ gas/ mist/ vapours/

spray.

P264 Wash hands thoroughly after handling.

P271 Use only outdoors or in a well-ventilated area.

P273 Avoid release to the environment.

P280 Wear protective gloves/protective clothing/eye

protection/face protection.

P304 + P340 IF INHALED: Remove victim to fresh air and

keep at rest in a position comfortable for

breathing.

P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for

several minutes. Remove contact lenses if

present and easy to do. Continue rinsing.

P312 Call a POISON CENTRE/doctor/... if you feel

unwell.

P337 + P313 If eye irritation persists get medical

advice/attention.

P391 Collect spillage.

P403 + P233 Store in a well-ventilated place. Keep container

tightly closed.

P405 Store locked up.

P501 Dispose of contents/ container to an approved

waste disposal plant.

NO-0061 Page: 3/13



according to Regulation (EC) No 1907/2006

Aluminium-doped Zinc Oxide

Revision Date: 9/16/2025 Version: 3

2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

Ecological information:

The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

Toxicological information:

The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

3 COMPOSITION/INFORMATION ON INGREDIENTS

3.1 Substances

Aluminium-doped Zinc oxide, 20 – 40 nm

CAS: 37275-76-6

ZnO/Al₂O₃

EC-Number: 215-222-5

Ingredient name	Contents	Classification
Aluminium-doped Zinc oxide, 20 – 40 nm	99.9%	Aquatic Acute 1; Aquatic Chronic 1
		Eye Irr. 2A; STOT SE 3
ZnO	> 98wt%	
Al ₂ O ₃	< 2wt%	
Formula	Molecular V	Veiaht

n/a

No components need to be disclosed according to the applicable regulations.

NO-0061 Page: 4/13



according to Regulation (EC) No 1907/2006

Aluminium-doped Zinc Oxide

Revision Date: 9/16/2025 Version: 3

4 FIRST AID MEASURES

4.1 Description of first aid measures

General

Contaminated clothing should be removed and washed before being reused.

Contaminated clothing should not be allowed out of the work place.

Inhalation

Move the exposed person to fresh air at once. If respiratory problems, provide artificial respiration/oxygen. Get medical attention if you feel unwell.

Ingestion

Immediately rinse mouth and provide fresh air. Do not induce vomiting. Get medical attention immediately.

Skin

Wash the skin immediately with soap and water. Get medical attention if you feel unwell.

Eyes

Promptly wash eyes with plenty of water while lifting the eye lids. Continue to rinse for at least 15 minutes. Get medical attention if you feel unwell.

4.2 Most important symptoms and effects, both acute and delayed

The most important known symptoms and effects are described in the labelling (see section 2.2) and/or in section 11.

4.3 Indication of any immediate medical attention and special treatment needed No data available.

5 FIRE FIGHTING MEASURES

5.1 Extinguishing media

Use suitable fire-fighting measures depending on the surrounding environment.

Use: Water spray, fog or mist. Carbon dioxides (CO₂). Dry chemicals, sand, dolomite etc.

NO-0061 Page: 5/13



according to Regulation (EC) No 1907/2006

Aluminium-doped Zinc Oxide

Revision Date: 9/16/2025 Version: 3

5.2. Special hazards arising from the substance or mixture

Avoid water in straight hose stream, will scatter and spread fire. Keep run-off water out of sewers and water sources. Dike for water control. Fire causes formation of toxic gases.

5.3. Advice for firefighters

Wear self-contained breathing apparatus as combustion may produce hazardous fumes.

6 ACCIDENTAL RELEASE MEASURES

6.1 Personal precautions, protective equipment and emergency procedures

Wear protective clothing and avoid inhalation of vapor, skin or eye contact.

6.2 Environmental precautions

Avoid washing into water courses. Avoid contaminating public drains or water supply.

6.3 Methods and materials for containment and cleaning up

Avoid contact with skin or inhalation of spillage, dust or vapor. Avoid dust formation. Collect and reclaim or dispose in sealed containers in license waste. Extinguish all ignition sources. Avoid sparks, flames, heat and smoking. Ventilate.

6.4 Reference to other sections

For disposal see section 13.

7 HANDLING AND STORAGE

7.1 Precautions for safe handling

Minimize dust generation and accumulation. Avoid breathing dust, vapor, mist, or gas. Avoid contact with skin and eyes. Avoid ingestion and inhalation. Do not use in confined spaces without adequate ventilation and/or respirator.

7.2 Conditions for safe storage, including any incompatibilities

Store in a dry and well-ventilated place. Keep container tightly closed. Chemical storage.

NO-0061 Page: 6/13



according to Regulation (EC) No 1907/2006

Aluminium-doped Zinc Oxide

Revision Date: 9/16/2025 Version: 3

Storage class

Storage class (TRGS 510): 11: Combustible Solids

7.3 Specific end use(s)

Apart from the uses mentioned in section 1.2 no other specific uses are stipulated.

8 EXPOSURE CONTROLS AND PERSONAL PROTECTION

8.1 Control parameters

Ingredients with workplace control parameters.

8.2 Exposure controls

Eye/face protection

Safety glasses with side-shields conforming to EN166 Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU).

Skin protection

Handle with gloves. Gloves must be inspected prior to use. Use proper glove removal technique (without touching glove's outer surface) to avoid skin contact with this product. Dispose of contaminated gloves after use in accordance with applicable laws and good laboratory practices. Wash and dry hands.

The selected protective gloves have to satisfy the specifications of EU Directive 89/686/EEC and the standard EN 374 derived from it.

Body Protection

Impervious clothing. The type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace.

Respiratory protection

For nuisance exposures use type P95 (US) or type P1 (EU EN 143) particle respirator. For higher level protection use type OV/AG/P99 (US) or type ABEK-P2 (EU EN 143) respirator cartridges. Use respirators and components tested and approved under appropriate government standards such as NIOSH (US) or CEN (EU).

NO-0061 Page: 7/13



according to Regulation (EC) No 1907/2006

Aluminium-doped Zinc Oxide

Revision Date: 9/16/2025 Version: 3

Exposure Limits

No special precautionary measures necessary.

9 PHYSICAL AND CHEMICAL PROPERTIES

9.1 Information on basic physical and chemical properties

a) Physical state Solid Powder

b) Color Colorless.

c) Odor no characteristic odor

d) Melting point/freezing point 1975°C

e) Initial boiling point no data available

f) Flammability no data available

g) Upper/lower explosive limits no data available

h) Flash point no data available

i) Autoignition temperature no data available

j) Decomposition temperature no data available

k) pH no data available

I) Kinematic viscosity no data available

m) Water solubility no data available

,

n) Partition coefficient no data available

o) Vapor pressure no data available

p) Density no data available

q) Relative vapor density no data available

r) Particle characteristics 20 - 40 nm, APS

s) Explosive properties no data available

t) Oxidizing properties no data available

9.2 Other safety information

No data available.

NO-0061 Page: 8/13



according to Regulation (EC) No 1907/2006

Aluminium-doped Zinc Oxide

Revision Date: 9/16/2025 Version: 3

10 STABILITY AND REACTIVITY

10.1 Reactivity

No data available.

10.2 Chemical stability

Stable under normal temperatures and pressures.

10.3 Possibility of hazardous reactions

Violent reactions possible with: hydrogen peroxide, magnesium.

10.4 Conditions to avoid

No data available.

10.5 Incompatible materials

Strong oxidizing agents. Magnesium. Chlorinated rubber. Zinc chloride. Hydrogen fluoride.

10.6 Hazardous decomposition products

High temperatures generate: Corrosive gases/vapor/fumes of: Zinc/zinc oxides.

11 TOXICOLOGICAL INFORMATION

11.1 Information on hazard classes

Acute toxicity

LD50 Oral - Mouse - 7,950 mg/kg (Zinc oxide)

LC50 Inhalation - Mouse - 2,500 mg/m³ (Zinc oxide)

Dermal: No data available

Skin corrosion/irritation

Skin - Rabbit

Result: Mild skin irritation - 24 h (Zinc oxide)

Serious eye damage/eye irritation

Eyes - Rabbit

Result: Mild skin irritation - 24 h (Zinc oxide)

NO-0061 Page: 9/13



according to Regulation (EC) No 1907/2006

Aluminium-doped Zinc Oxide

Revision Date: 9/16/2025 Version: 3

Respiratory or skin sensitization

No data available.

Germ cell mutagenicity

No data available.

Carcinogenicity

IARC: No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.

Reproductive toxicity

No data available.

Specific target organ toxicity - single exposure

Inhalation - May cause respiratory irritation.

Specific target organ toxicity - repeated exposure

No data available.

Aspiration hazard

No data available.

Potential health effects

Inhalation May be harmful if inhaled. Causes respiratory tract irritation.

Ingestion May be harmful if swallowed.

Skin May be harmful if absorbed through skin. Causes skin irritation.

Eyes Causes serious eye irritation.

Signs and Symptoms of Exposure

To the best of our knowledge, the chemical, physical, and toxicological properties have not been thoroughly investigated.

11.2 Additional Information

Endocrine disrupting properties

The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU)2018/605 at levels of 0.1% or higher.

NO-0061 Page: 10/13



according to Regulation (EC) No 1907/2006

Aluminium-doped Zinc Oxide

Revision Date: 9/16/2025 Version: 3

RTECS:

To the best of our knowledge, the chemical, physical, and toxicological properties have not been thoroughly investigated.

12 ECOLOGICAL INFORMATION

12.1 Toxicity

Zinc oxide:

Toxicity to fish LC50 - Oncorhynchus mykiss (rainbow trout) - 1.1 mg/l - 96.0 h

Toxicity to daphnia and other aquatic invertebrates

EC50 - Daphnia magna (Water flea) - 0.098 mg/l - 48 h

12.2 Persistence and degradability

No data available.

12.3 Bioaccumulative potential

No data available.

12.4 Mobility in soil

No data available.

12.5 Results of PBT and vPvB assessment

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

12.6 Endocrine disrupting properties

The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU)2018/605 at levels of 0.1% or higher.

12.7 Other adverse effects

Do not allow material to be released to the environment without proper governmental permits.

NO-0061 Page: 11/13



according to Regulation (EC) No 1907/2006

Aluminium-doped Zinc Oxide

Revision Date: 9/16/2025 Version: 3

13 DISPOSAL CONSIDERATIONS

13.1 Waste treatment methods

Contact specialist disposal companies. Dispose of in accordance with Local Authority requirements. Recover and reclaim or recycle, if practical.

14 TRANSPORT INFORMATION

14.1 UN number

ADR/RID: UN3077 IMDG: UN3077 IATA: UN3077

14.2 UN proper shipping name

ADR/RID: ENVIRONMENTALLY HAZARDOUS SUBSTANCES, SOLID, N.O.S.

(ZINC OXIDE)

IMDG: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S.

(Zinc oxide)

IATA: Environmentally hazardous substance, solid, n.o.s.

(Zinc oxide)

14.3 Transport hazard class(es)

ADR/RID: 9 IMDG: 9 IATA: 9

14.4 Packaging group

ADR/RID: III IMDG: III IATA: III

14.5 Environmental hazards

ADR/RID: yes IMDG Marine pollutant: yes IATA: yes

14.6 Special precautions for user

No data available.

Further information

EHS-Mark required (ADR 2.2.9.1.10, IMDG code 2.10.3) for single packagings and combination packagings containing inner packagings with Dangerous Goods > 5L for

NO-0061 Page: 12/13



according to Regulation (EC) No 1907/2006

Aluminium-doped Zinc Oxide

Revision Date: 9/16/2025 Version: 3

liquids or > 5kg for solids. Packages smaller than or equal to 5 kg / L , not dangerous goods of Class 9.

15 REGULATORY INFORMATION

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

This safety datasheet complies with the requirements of Regulation (EC) No. 1907/2006.

15.2 Chemical safety assessment

no data available

Country specific information

Germany WGK: 2 (Self-Classification)

16 OTHER INFORMATION

DISCLAIMER

THE ABOVE INFORMATION IS BELIEVED TO BE CORRECT BUT DOES NOT PURPOSED TO BE ALL INCLUSIVE AND SHALL BE USED ONLY AS A GUIDE. IOLITEC SHALL NOT BE HELD LIABLE FOR ANY DAMAGE RESULTING FROM HANDLING OR FROM CONTACT WITH THE ABOVE PRODUCT. THIS INFORMATION RELATES ONLY TO THE SPECIFIC MATERIAL DESIGNATED AND MAY NOT BE VALID FOR SUCH MATERIAL USED IN COMBINATION WITH ANY OTHER MATERIALS OR ANY PROCESS. IT IS THE USERE'S RESPONISIBILTY TO SATISFY HIMSELF AS TO THE SUITABILITY OF SUCH INFORMATION FOR HIS OWN PARTICULAR USE.

IN NO WAY SHALL IOLITEC BE LIABLE FOR ANY CLAIMS, LOSSES OR DAMAGES OF ANY THIRD PARTY OR FOR THE LOST PROFITS OR ANY SPECIAL, INDIRECT, INCIDENTAL, CONSEQUENTIAL OR EXEMPLARY DAMAGES, HOWSOEVER ARISING, EVEN IF THE COMPANY HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

NO-0061 Page: 13/13